							Sheet 1of	2
SUBSTITUTE (MODIFIED)	FORM PTO-1449		TMENT OF COMME TRADEMARK OF		Oocket No.	50146/00	4002	ECEIVED FEB 15 2001
(ואוסטוו ובטן דאו בואו אואו			Serial No.			09/623,828		POEIVED
		ION DISCLOSU		Applicant		Schweigh	noffer et al.	FEB 15 200
		sheets if neces	sary()	Filing Date	€.	Novembe	er 30, 2000	20 2001
(37 CFR §1.98	3(b))		PER 142	Group		1645	_ AECH	ENTER 1600/2 900
			E.	IDS Filed		February	12, 2001	72500
			U.S.40EMA	AS				
Examiner's Initials	Patent Number	Issue Date	Pater	ntee	Class	Subclass	Filing Date (If Appropriate)	
X	5,521,297	5-28-1996	Daggett et al.		536	23.5		
<u> </u>	5,643,729	7-1-1997	Taniguchi et al.		435	6		
I	5 679 541	10/21/97	Bonini et al.		435	69.1		
S	5,445,934	8-29-1995	Fodor et al.		435	6		
	FORE	IGN PATENT (OR PUBLISHED FO	REIGN PATENT A	PPLICATION	NC		
\	Document Number	Publication Date	Coun Patent		Class	Subclass	Translation (Yes/No)	
2K	WO 95 27052	12.10.95	PCT					
	WO 96 26272	29.08.96	PCT					
	WO 98 02576	22.01.98	PCT					
	FR 2 664 287	10.01.92	France		_	_		
	WO 94 12631	09.06.94	PCT				<u></u>	
	WO 97 46679	11.12.97	PCT					
	EP 0 806 478	12.11.97	Europe					
	WO 96 30512	03.10.96	PCT					
	WO 97 04092	06.02.97	PCT				<u> </u>	
	WO 97/29212	08-14-97	PCT					
SR	WO 97/27317	07-31-97	PCT					
	OTHER DOCL	IMENTS (INCL	JDING AUTHOR, TI	ITLE, DATE, PLAC	E OF PUB	LICATION)		
R	Alphey, L., "PCR Biotechniques 22		for isolation of full-le	ength clones and s	plice variar	its from cDN	A libraries"	
7	Ambartsumian, N. et al., "Characterization of two splice variants of metastasis-associated human <i>mts1</i> gene," Gene 159(1): 125-130 (1995).							
	Ardley, et al., "Rapid isolation of genomic clones for individual members of human multigene families: Identification and localisation of UBE2L4, a novel member of a ubiquitin conjugating enzyme dispersed gene family" Cytogenetics and Cell Genetics, 79:188-192 (1997). Bloom, T. J. and Beavo, J. A., "Identification and tissue-specific expression of PDE7 phosphodiesterase splice variants," Proc. Natl. Acad. Sci. USA 93(24): 14188-14192 (1996).							
<i>8</i> 5	Bonass, et al., "The rat amelogenin gene - some aspects of evolution and expression" Advances in Dental Research, 10:182-186 (1996).							
EXAMINER	Jeffy bei	ı	DA	TE CONSIDERED	7/5	102		
		ered. Draw line	DA through citation if n		7/5		clude copy of this	

OTPE TO THE PERSON OF THE PERS

Sheet 2 of 2

Sheet 2 of 2 SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (MODIFIED) INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (Jose several sheets if necessary) OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) Canton, H. et al., "Identification, Molecular Cloning, and Distribution of a Short Variant of the 5-Hydroxytyptamine, Receptor Produced by Alternative Splicing," Mol. Pharmacol. 50(4): 799-807 (1996). Cheng, J. et al., "Protection from Fas-Mediated Apoptosis by a Soluble Form of the Fas Molecule," Science 263(5154): 1759-1762 (1994). Cooper, et al., "Gene therapy advances: utilization of alternative splicing as a control element in the chimeric-enzyme/prodrug therapy (cept) approach to primary and metastatic tumors" Journal of Clinical Ligand Assay., 19:80-84 (1996). Drmanac et al., "Gene-Representing cDNA Clusters Defined by Hybridization of 57,419 Clones from Infant Brain Libraries with Short Oligonucleotide Probes," Genomics 37:29-40 (1996). Ion, A. et al., "A novel Mutation in the Putative DNA Helicase XH2 is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," Am. J. Hum. Genet. 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," Proc. Natl. Acad. Sci. USA 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling Nucleic Acids Research, 23:2339-2340 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:559-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression of promoters and mediation of apoptosis," Oncogene 12: 2069-2079 (1996).	EIVED
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 CFR §1.98(b)) Carton, H. et al., "Identification, Molecular Cloning, and Distribution of a Short Variant of the 5-Hydroxytyptamine, Receptor Produced by Alternative Splicing," Mol. Pharmacol. 50(4): 799-807 (1996). Cheng, J. et al., "Brotection from Fas-Mediated Apoptosis by a Soluble Form of the Fas Molecule," Science 263(5154): 1759-1762 (1994). Cooper, et al., "Gene therapy advances: utilization of alternative splicing as a control element in the chimeric-enzyme/prodrug therapy (cept) approach to primary and metastatic tumors" Journal of Clinical Ligand Assay., 19:80-84 (1996). Drmanac et al., "Gene-Representing cDNA Clusters Defined by Hybridization of 57,419 Clones from Infant Brain Libraries with Short Oligonucleotide Probes," Genomics 37:29-40 (1996). Ion, A. et al., "A novel Mutation in the Putative DNA Helicase XH2 is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," Am. J. Hum. Genet. 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," Proc. Natl. Acad. Sci. USA 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" Nucleic Acids Research, 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," Life Sci. 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:559-863 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
INFORMATION DISCLOSINE STATEMENT BY APPLICANT (Use several sheets if necessary) 37 CFR §1.98(b)) OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) Canton, H. et al., "Identification, Molecular Cloning, and Distribution of a Short Variant of the 5-Hydroxytryptamine _{2c} Receptor Produced by Alternative Splicing," Mol. Pharmacol. 50(4): 799-807 (1996). Cheng, J. et al., "Protection from Fas-Mediated Apoptosis by a Soluble Form of the Fas Molecule," Science 263(5154): 1759-1762 (1994). Cooper, et al., "Gene therapy advances: utilization of alternative splicing as a control element in the chimeric-enzyme/prodrug therapy (cept) approach to primary and metastatic tumors" Journal of Clinical Ligand Assay., 19:80-84 (1996). Drmanac et al., "Gene-Representing cDNA Clusters Defined by Hybridization of 57,419 Clones from Infant Brain Libraries with Short Oligonucleotide Probes," Genomics 37:29-40 (1996). Ion, A. et al., "A novel Mutation in the Putative DNA Helicase XH2 is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," Am. J. Hum. Genet. 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," Proc. Natl. Acad. Sci. USA 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" Nucleic Acids Research, 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," Life Sci. 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:659-863 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	F
(Use several sheets if necessary) Group Gr	o 2001
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) Canton, H. et al., "Identification, Molecular Cloning, and Distribution of a Short Variant of the 5-Hydroxytryptamine _{2c} Receptor Produced by Alternative Splicing," Mol. Pharmacol. 50(4): 799-807 (1996). Cheng, J. et al., "Protection from Fas-Mediated Apoptosis by a Soluble Form of the Fas Molecule," Science 263(5154): 1759-1762 (1994). Cooper, et al., "Gene therapy advances: utilization of alternative splicing as a control element in the chimeric-enzyme/prodrug therapy (cept) approach to primary and metastatic tumors" Journal of Clinical Ligand Assay., 19:80-84 (1996). Drmanac et al., "Gene-Representing cDNA Clusters Defined by Hybridization of 57,419 Clones from Infant Brain Libraries with Short Oligonucleotide Probes," Genomics 37:29-40 (1996). Ion, A. et al., "A novel Mutation in the Putative DNA Helicase XH2 is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," Am. J. Hum. Genet. 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," Proc. Natl. Acad. Sci. USA 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" Nucleic Acids Research, 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," Life Sci. 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, \$23 is impaired for repression	R 1600/290
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) Canton, H. et al., "Identification, Molecular Cloning, and Distribution of a Short Variant of the 5-Hydroxytryptamine _{2c} Receptor Produced by Alternative Splicing," <i>Mol. Pharmacol.</i> 50(4): 799-807 (1996). Cheng, J. et al., "Protection from Fas-Mediated Apoptosis by a Soluble Form of the Fas Molecule," <i>Science</i> 263(5154): 1759-1762 (1994). Cooper, et al., "Gene therapy advances: utilization of alternative splicing as a control element in the chimeric-enzyme/prodrug therapy (cept) approach to primary and metastatic tumors" <i>Journal of Clinical Ligand Assay.</i> , 19:80-84 (1996). Drmanac et al., "Gene-Representing cDNA Clusters Defined by Hybridization of 57,419 Clones from Infant Brain Libraries with Short Oligonucleotide Probes," <i>Genomics</i> 37:29-40 (1996). Ion, A. et al., "A novel Mutation in the Putative DNA Helicase <i>XH2</i> is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," <i>Am. J. Hum. Genet.</i> 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," <i>Proc. Natl. Acad. Sci. USA</i> 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" <i>Nucleic Acids Research</i> , 23:2339-2340 (1995). Nakajima, T. et al., "A <i>New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," <i>Life Sci.</i> 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," <i>Proc. Natl. Acad. Sci. USA</i> 93:659-663 (1996).</i>	
Canton, H. et al., "Identification, Molecular Cloning, and Distribution of a Short Variant of the 5-Hydroxytryptamine _{2c} Receptor Produced by Alternative Splicing," <i>Mol. Pharmacol.</i> 50(4): 799-807 (1996). Cheng, J. et al., "Protection from Fas-Mediated Apoptosis by a Soluble Form of the Fas Molecule," <i>Science</i> 263(5154): 1759-1762 (1994). Cooper, et al., "Gene therapy advances: utilization of alternative splicing as a control element in the chimeric-enzyme/prodrug therapy (cept) approach to primary and metastatic tumors" <i>Journal of Clinical Ligand Assay.</i> , 19:80-84 (1996). Drmanac et al., "Gene-Representing cDNA Clusters Defined by Hybridization of 57,419 Clones from Infant Brain Libraries with Short Oligonucleotide Probes," <i>Genomics</i> 37:29-40 (1996). Ion, A. et al., "A novel Mutation in the Putative DNA Helicase <i>XH2</i> is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," <i>Am. J. Hum. Genet.</i> 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," <i>Proc. Natl. Acad. Sci. USA</i> 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" <i>Nucleic Acids Research</i> , 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," <i>Life Sci.</i> 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," <i>Proc. Natl. Acad. Sci. USA</i> 93:659-663 (1996).	
Hydroxytryptamine _{zc} Receptor Produced by Alternative Splicing," <i>Mol. Pharmacol.</i> 50(4): 799-807 (1996). Cheng, J. et al., "Protection from Fas-Mediated Apoptosis by a Soluble Form of the Fas Molecule," <i>Science</i> 263(5154): 1759-1762 (1994). Cooper, et al., "Gene therapy advances: utilization of alternative splicing as a control element in the chimeric-enzyme/prodrug therapy (cept) approach to primary and metastatic tumors" <i>Journal of Clinical Ligand Assay.</i> , 19:80-84 (1996). Drmanac et al., "Gene-Representing cDNA Clusters Defined by Hybridization of 57,419 Clones from Infant Brain Libraries with Short Oligonucleotide Probes," <i>Genomics</i> 37:29-40 (1996). lon, A. et al., "A novel Mutation in the Putative DNA Helicase <i>XH2</i> is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," <i>Am. J. Hum. Genet.</i> 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," <i>Proc. Natl. Acad. Sci. USA</i> 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" <i>Nucleic Acids Research</i> , 23:2339-2340 (1995). Nakajima, T. et al., "A <i>New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N</i> -Terminal Portion of the Extracellular Domain," <i>Life Sci.</i> 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," <i>Proc. Natl. Acad. Sci. USA</i> 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
Cooper, et al., "Gene therapy advances: utilization of alternative splicing as a control element in the chimeric-enzyme/prodrug therapy (cept) approach to primary and metastatic tumors" <i>Journal of Clinical Ligand Assay.</i> , 19:80-84 (1996). Drmanac et al., "Gene-Representing cDNA Clusters Defined by Hybridization of 57,419 Clones from Infant Brain Libraries with Short Oligonucleotide Probes," <i>Genomics</i> 37:29-40 (1996). lon, A. et al., "A novel Mutation in the Putative DNA Helicase <i>XH2</i> is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," <i>Am. J. Hum. Genet.</i> 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," <i>Proc. Natl. Acad. Sci. USA</i> 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" <i>Nucleic Acids Research</i> , 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," <i>Life Sci.</i> 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," <i>Proc. Natl. Acad. Sci. USA</i> 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
enzyme/prodrug therapy (cept) approach to primary and metastatic tumors" Journal of Clinical Ligand Assay., 19:80-84 (1996). Drmanac et al., "Gene-Representing cDNA Clusters Defined by Hybridization of 57,419 Clones from Infant Brain Libraries with Short Oligonucleotide Probes," Genomics 37:29-40 (1996). Ion, A. et al., "A novel Mutation in the Putative DNA Helicase XH2 is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," Am. J. Hum. Genet. 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," Proc. Natl. Acad. Sci. USA 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" Nucleic Acids Research, 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracelfular Domain," Life Sci. 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
Brain Libraries with Short Oligonucleotide Probes," <i>Genomics</i> 37:29-40 (1996). lon, A. et al., "A novel Mutation in the Putative DNA Helicase XH2 is Responsible for Male-to-Female Sex Reversal Associated with an Atypical Form of the ATR-X Syndrome," Am. J. Hum. Genet. 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," Proc. Natl. Acad. Sci. USA 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" Nucleic Acids Research, 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," Life Sci. 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
Reversal Associated with an Atypical Form of the ATR-X Syndrome," Am. J. Hum. Genet. 58(6): 1185-1191 (1996). Lisitsyn et al., "Comparative genomic analysis of tumors: Detection of DNA losses and amplification," Proc. Natl. Acad. Sci. USA 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" Nucleic Acids Research, 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," Life Sci. 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
Natl. Acad. Sci. USA 92:151-155 (1995). Miller, R. D. and Riblet, R., "Improved phenol emulsion DNA reassociation technique (PERT) using thermal cycling" Nucleic Acids Research, 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," Life Sci. 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
cycling" Nucleic Acids Research, 23:2339-2340 (1995). Nakajima, T. et al., "A New Alternative Splice Variant of the Mouse FAS Antigen with a Deletion in the N-Terminal Portion of the Extracellular Domain," Life Sci. 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," Proc. Natl. Acad. Sci. USA 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
Terminal Portion of the Extracellular Domain," <i>Life Sci.</i> 58(9): 761-768 (1996). Prashar et al., Analysis of differential gene expression by display of 3' end restriction fragments of cDNAs," <i>Proc. Natl. Acad. Sci. USA</i> 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
Proc. Natl. Acad. Sci. USA 93:659-663 (1996). Roemer, K. and Mueller-Lantzsch, N., "p53 transactivation domain mutant Q22, S23 is impaired for repression	
Roth, J. A. et al., "Retrovirus-mediated wild-type p53 gene transfer to tumors of patients with lung cancer," Nat. Med. 2: 985-991 (1996).	
Sabbatini, P. et al., "Essential role for p53-mediated transcription in E1A-induced apoptosis," <i>Genes Dev.</i> 9: 2184-2192 (1995).	
Varesco, L. et al., "Mutation in a splice-donor site of the APC gene in a family with polyposis and late age of colonic cancer death," <i>Hum. Genet.</i> 93(3): 281-286 (1994).	
Watanabe, K. et al., J. "Splicing Isoforms of Rat Ash/Grb2," Biol. Chem. 270(23): 13733-13739 (1995).	
Zhao et al., "High-density cDNA filter analysis: a novel approach for large-scale, quantitative analysis of gene expression," <i>Gene</i> , 156:207-213 (1995)	
Zhu, Q. et al., "Deletion within the Src Homology Doman 3 of Bruton's Tyrosine Kinase Resulting in X-linked Agammaglobulinemia (XLA)," <i>J. Exp. Med.</i> 180(2): 461-470 (1994).	
EXAMINER Jeffy Suir DATE CONSIDERED 7/5/02	
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this	

50146 004002 IDS wpd Revised: 27 January 1997